

PRODUCT DESCRIPTION

Our EOS Fixed rooflight maximises the amount of natural daylight without intrusive framing being visible from beneath. Unlike other systems, EOS rooflights have been tested for impact resistance to ensure the highest safety standards. Our modular double glazed Fixed roof lights are impact tested as standard to TN66/67 to protect those carrying out roof maintenance and cleaning.



MATERIAL

The EOS Fixed rooflight is constructed from glass and aluminium. An optional insulated kerb is available for easy installation and required to achieve full certification.

GLASS TYPE

Fixed rooflight are supplied with double glazed super low 'e' coated units with Argon filled cavities. Our standard glass specification is ;

- 32mm double glazed unit.
- 8mm toughened outer pane, 16mm argon filled cavity and 8.8mm clear laminated super Low E inner pane.

U VALUE

Standard:

U-value for the unit overall is 0.97 W/m²K.*

DIMENSIONS, POSSIBILITIES & LIMITATIONS

- To avoid water pooling EOS rooflights should be installed on roofs pitched between 3° and 30°
- Optional fully insulated 150mm or 300mm kerb to achieve full certification.
- 7 stock sizes with 3-5 day delivery**:
- Stock and Bespoke sizes available

WARRANTY

EOS Fixed rooflights come with a 10 year warranty. Our Fixed rooflights conform to the most up-to-date regulations and is CE marked according to DS/EN14351-1. CE marking is carried out by the Danish institute of technology and includes the following test: EN1873, DS/EN 717-1, EN/ISO 10077-1 and -2, EN673, DS418, EN12207 and EN1026. Vitral has the ISO9001:2008 certification.

* U-values are calculated according to EN14351 (part of CE standard).
** Only for items in stock.

About EOS

EOS Rooflights Ltd was set up with the aim of providing high performance roof glazing direct to market.

EOS are the only stockists of Vitral rooflights in the UK, enabling us to offer a market leading product at competitive prices.

T: 0208 462 3557 E: info@eosrooflights.co.uk
www.eosrooflights.co.uk

